Work Orde				*108	178*						Page 1
Revision ID:	646.3812 Gusset Bracke	ıt.		Accept	*N900		100)*	Setup Sta	IV	S1* S2*
	10/08/13 10/08/13	Start Qty: 4.00 Req'd Qty: 4.00	*4* *4*		Cust Iten Custome					14	. 12
Approvals:			Date: 13-10-10			Date:			Run Sta	!/	R1*
Sequence ID/ Work Center II)	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accep Qty	t Reject Qty	Reject Number	Insp. Stamp
Draw Nbr 646.3800	Rev NC	ision Nbr									,
*110 *110* HAAS I HAAS CNC vertical	machine #1	HAAS CNC VERTICAL Memo 1-Machine p DWG REV		0.00	MH 13	5/11/11	0	4	Ø	- · ·	<u>:</u>
120		2- deburr an QC2- Inspect parts off m	nd break all sharp edges	0.00 mf	/						
120 QC Quality Control		Memo		0.00	NH	13/11/10		4	- <i>B</i>		···

												DQA:	D	ate:	
NCR: Y	/es	/ No				WORK ORDER NON-C	O	NFORM	MANCE / UPDA	TE		•			ų.
											C	QA Closed:	D	ate:	
Mork Orde	٠					DISPOSITION				AGAINST DE	EP/	ARTMENT	PROCESS		
Work Orde	-					Rework	1		Skid-tube (Crosstube	٦		Water Je	, _† [_	Engineering
Part N	۷o.					Scrap	1		— —	Small Fab	\dashv	Pro	d. Eng. Coo	<u> </u>	Quality
	-					Use-as-is	1		noforming	Finishing	1		e/Packagin	\vdash	Other
NCR N	No.					Work Order Update	1	1	~ —	Composite	1	•	Supplie	_	
	_						-		-						
Root						ption of work order update		Initial	Action	1		Sign &			
Cause		Date	Step	Qty	(or Non-conformance	Ct	nief Eng	Descript	ion	\perp	Date	Verificati	on	QC Inspector
Doc/Data	Ш				İ				-		1				
Equip/Tooling	Ц														
Operator															
Material	Ш														
Setup															
Other											1				
Process															
Supplier											1				
Training					ĺ										
Unapproved															
						F	AUI	LT CATE	GORY						
Landi	ng G	Sear				General		_		_	_			_	_
	Ш	Bending				Bend	L	Grain			_[0	Ovalized		L	Pressure/Forced
		Centre No	ot Conce	ntric to	o/s	BOM/Route		Hardwa	re		_ 0	Over/Under	tolerance	L	Temperature/Cure
		Cracks				Broken/Damaged		Inspect	ion Incomplete		_ P	Part Incorrec	ct	L	Weld
		Crushed/	Crimped			Burrs		Instruct	ions Incomplete/Unc	lear	JP	Part Lost/Mi	ssing		Wrong Stock Pulled
		Cuffs				Contamination		Mainte	enance		F	Part Moved			_

Mislabeled

Out of Calibration

Out of Sequence

Outside Dimensions

Misread

Offset

Positioned Wrong

Power Loss/Surge

Other

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Heat Treat

Inspection Strip in Tube

Torque Waves in Extrusion

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde				* 1	\ 0 81	178*	2					Page 2
Item ID: Revision ID: Item Name: Start Date: Required Date:	646.3812 Gusset Bracke 10/08/13 10/08/13	Start Qty: 4.00 Req'd Qty: 4.00	*4* *4*	Accept	•	*N900 Cust Item I Customer:		100)*	Setup Star	1.71	S1* S2*
Approvals:		n:			ŋ:		ite:			Run Sta	I / I	R1* R2*
Sequence ID/ Work Center II 130 *120* QC Quality Control	D	Operation Description QC8- Inspect parts - seco	and check	Set Up Run H 0.00	lours	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140 *140* Outsource4		Outsource process-Anod Memo	ize per QSI017 4.1.10.1	0.00						Z 13	1 41/1	3_Ø

Outsource process - Anodize

Issue P/O to ATG: 2 238

1- Black Anodize as per Dwg 646.3800

2- PRIME AS PER DWG, SEE NOTE #2

Certification of Comformity is required

Receive & Inspect for Damage & Mat'l Certs

0.00

150 Packaging

Packaging

150

0.00

Memo

(2/12/2 (4)

											DQA:	Date:	
NCR:	⁄es	/ No				WORK ORDER NON-	COI	NFORN	AANCE / UP	DATE	04.01	D-4-	4 0 .
											QA Closed:	Date:	
Work Orde	ar.					DISPOSITION				AGAINST DE	PARTMENT	PROCESS	
Part I	- No					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	1	Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other
Root			,		Descri	ption of work order update		Initial	Act	tion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Cr	nief Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved													
-							FAUI	LT CATE	GORY				
Landi		Bending Centre No Cracks Crushed/ Cuffs Heat Trea	Crimped t n Strip in		o/s	General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short		Instruct Mainte Mislabe Misread	on Incomplete ions Incomplete/i nance led	Jnclear	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct ssing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
ļ	1 1	Ripples in	Bend		1	Drill Holes		Offset					

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Orde October-08-13		8178		*108	R178*							Page 3
Item ID: Revision ID: Item Name: Start Date: Required Date:	646.3812 Gusset Bracke 10/08/13	t Start Qty: 4.00 Req'd Qty: 4.00	*4* *4*	Accept	*N900		100)*	Setup	Start Stop	*N:	S1* S2*
Reference: Approvals:		n:	^4^ Date:	Tooling:	Customer:	ate:	-		Run	Start	*N	R1*
•			Date:	SPC (Y/N):	D	ate:				Stop	*N	R2*
Sequence ID/ Work Center II 155 *155* QC Quality Control	D	Operation Description QC5- Inspect part comp	leteness to step on W/O	Set Up/ Run Hours 0.00 DAS 0.00 B	Tool ID	Tool#	Plan Code	Accep Qty	t Rejo Qty	I	Reject Number	Insp. Stamp
180 *1 AO* Packaging Packaging		Memo	ock Location \$\frac{5}{5} \frac{3}{5}	0.00 0.00 P-120 BY STAMPING P#	AND REV***			4x			<u>B</u> -	/2-3 DAS 26 9-89
190 QC Quality Control		QC21- Final Inspection Memo	- Work Order Release	0.00			ć	Ŋ	/R	m	13/12,	103.

13-12-03

NCR:	Yes	/ No				WORK ORDER NON-	COI	NFORM	MANCE / UPDAT	Έ			*
									-		QA Closed:	Date	:
Work Ord	er: ˌ					DISPOSITION	1				PARTMENT,		
Part I	•					Rework Scrap Use-as-is Work Order Update		f Therm	Machining Si noforming F	mall Fab Finishing mposite	1	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update		Initial	Action		Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Descriptio	n	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved						F	AUI	LT CATE	GORY				
Landi	ng (Gear				General		·············					
		Bending Centre No Cracks Crushed/ Cuffs Heat Trea Inspectio Ripples in	Crimped at n Strip in		o/s	Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short Drill Holes		-	on Incomplete ions Incomplete/Unclea nance led	ar	Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct ssing vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
		Torque V		Extrusio	n	Drawing		4	Calibration				

Out of Sequence

Outside Dimensions

DQA:

Date:

Turning Sequence

Wave/Twist in Tube

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

October-08-13 11:06:16 AM

Work Order ID:

108178

Parent Item:

646.3812

Parent Item Name:

Gusset Bracket

Start Date: 10/08/13

Required Date: 10/08/13

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP REV:A NEW ISSUE 12-10-22 JLM VERIFIED:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6A0.75X0.75X0. 060X0.062		Purchased	No				f	101.0500		0.4			
7075T6 ANGLE .75" X .7	5" X .060" X .062"W								*******		aux		

											DQA:	Date:	,
NCR:	Yes	/ No				WORK ORDER NON-0	CONFO	RN	/ANCE / UP		QA Closed:	Date:	•.
Work Orde	er:					DISPOSITION			•	AGAINST DEI	PARTMENT	/PROCESS	
Part I	_					Rework Scrap Use-as-is Work Order Update	The	۱ erm	Skid-tube Machining oforming Large Fab	Crosstube Small Fab Finishing Composite		Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update	Initia		Ac	tion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Chief E	ng	Desc	ription	Date	Verification	QC Inspector
Doc/Data	Ш												
Equip/Tooling	Ш												
Operator	Ш												
Material								ı					
Setup	П				,			:					
Other	П												
Process								1					
Supplier	П		ļ	·									
Training	П												
Unapproved													
						F	AULT CA	TEG	SORY				

Bend Grain Ovalized Pressure/Forced Bending BOM/Route Centre Not Concentric to O/S Over/Under tolerance Temperature/Cure Hardware Cracks Broken/Damaged Weld Inspection Incomplete Part Incorrect Crushed/Crimped Burrs Instructions Incomplete/Unclear Part Lost/Missing Wrong Stock Pulled Cuffs Contamination Maintenance Part Moved Heat Treat Countersink Mislabeled Positioned Wrong Inspection Strip in Tube Cut Too Short Misread Other Power Loss/Surge Drill Holes Ripples in Bend Offset Torque Waves in Extrusion Drawing Out of Calibration Turning Sequence Finish Out of Sequence Wave/Twist in Tube Folio Outside Dimensions

General

Landing Gear

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G


DART AEROSPACE LTD	Work Order:	108178
Description: BRACKET	Part Number:	6411.3812
Inspection Dwg: / 4/6,3800 Rev: W/AC		Page 1 of 1


FIRST ARTICLE INSPECTION CHECKLIST


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
. 75	<u>†</u> .610	.750	1		14-04	Caliper
. 06	t.01	.062	· J		١	
2:00	± .01	2.000	✓			
. 31	± -01	-3105				
Ø . 09	+ · 005	.09	√,			
- 38	t .01	.375	J			
1.25	1.01	1.247	1			
R. 06	±.0\	.06	√		rad	
					·	
						-
	<u> </u>					


Measured by:	MH/one	Audited by:	F.K.	Preliminary Approval:	
Date:	13/10/10	Date:	13/11/10	Date:	


Rev	Date	Change	Revised by	Approved
E	10.04.14	Added preliminary approval	KJ	













A.T.G. Industries Inc. 731, rue Industrielle Rd. PLATING DEPARTMENT Rockland, On K4K 1T2 Canada

Ph: (613) 446-4544 Fax: (613) 446-4556

Pack List

Number: 62765

Date: 02-Dec-13

To

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7 Canada Ship To

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

Canada

Ph: 613-632-5200

Fax: 613-632-1185

Ph: 613-632-5200

Fax: 613-632-1185

Terms Ship Via				
ierms		Ship Via		
Quantity	Description			
1	Part: ASST		Rev:	**************************************
lot			1104,	
	6 PCS 646.2910 (48.00) <			
_	4 PCS-646.3810 (6.55)			
	4 PCS 646.3812 (5.45) 20 PCS 646.3813 (6.10)			
/	8 PCS 647.5710 (12.75)			
	10 PCS 649.5311 (20.15)			
	8 PCS 649.5312 (9.80)			
	3 PCS 647.1814 (6.90)/ 9 PCS 646.3813 (6.10)/			
	3 PCS 647.1815 (6.90)			
	29 PCS 647.9310 (18.00)			
	26 PCS 647.9315 (14.35) /			
i	20 PCS 647.9711 (14.50) /			
	HARD ANODIZE BLACK			
	MIL-A-8625 TYPE III CLASS 2			
	DRIME MIL D 22277 LT/DE LOLACI	~ * ·		
	PRIME MIL-P-23377J TYPE I CLASS Job: 20130745		l im m.	
	300. 20130743	PO: 22038	Line:	
	Certificate of Conformance			
	A.T.G. Industries certifies that all items in this shipment are in conformance with all requirements, specifications and drawings referenced in the purchase order. ISO 9001 : 2008 REGISTERED			
	, ATG SALES-2010 TER	RMS APPLY		
	2/2/2			
	DATE: $\frac{\sqrt{12/13}}{\sqrt{12/13}}$			
	M			
1	CERTIFIED SIGNATURE :			
				İ
	RECEIVER SIGNATURE :			İ